rediffmail

Mailbox of ronak@eurekabeltings.com

Subject: Fwd: Request for performance letter of Eurekon Conveyor Belts

From: Puneet-Eureka <puneet@eurekabeltings.com> on Sat, 10 Dec 2022 15:15:19

To: Ronak Sharma Eureka <ronak@eurekabeltings.com>

Sent from my iPhone

Begin forwarded message:

From: Partha Sarathi Ayach <partha.ayach@jindalsteel.com>

Date: 10 December 2022 at 3:08:38 PM IST To: puneet puneet@eurekabeltings.com>

Subject: Re: Request for performance letter of Eurekon Conveyor Belts

Dear Mr. Puneet.

We want you to know that we are very pleased with the quality of your Supplied Conveyor Belts.

We sincerely appreciate your responsiveness and the way you conduct business. We look forward to doing business with you for years to come.

On Sat, 10 Dec 2022 at 12:34, puneet puneet@eurekabeltings.com> wrote:
Dear Sir,

Greetings!

We request your good self to kindly provide a performance feedback letter for the various conveyor belts supplied by us as per below details to your plant:

PO no. & Date	Item Specification	Quantity
4511054606 dated 4.3.21	Conveyor Belt 1200mm wide, Raing NN 1250/4, 4 Ply, Top Cover 7mm, Bottom Cover 4mm, Grade M-24, Cut Edge	500 meters
4511057822 dated 17.521	Conveyor Belt 1600mm wide, Raing NN 1250/4, 4 Ply, Top Cover 6mm, Bottom Cover 4mm, Grade M-24, Cut Edge	500 meters
4511059886 dated 10.7.21	Conveyor Belt 650mm wide, Raing NN 630/4, 4 Ply, Top Cover 5mm, Bottom Cover 3mm, Grade M-24, Cut Edge	750 meters
4511062149 dated 29.8.21	Conveyor Belt 1200mm wide, Raing NN 1600/4, 4 Ply, Top Cover 7mm, Bottom Cover 4mm, Grade M-24, Cut Edge	250 meters

Expecting your kind consideration and assuring you our best services always.

Thanks & Regards Puneet Khubchandani Head (sales) Eureka Conveyor Beltings Pvt. Ltd. Mob: +91-9314297107 Website: www.eurekabeltings.com



Best Regards, PARTHA SARATHI AYACH

Manager - RMH-III

Jindal Steel & Power Limited 16 Kharsia Road, Raigarh, Chhattishgarh-496001

T +91 7762 227001-10 (3542) M +91 9827477928

E partha.ayach@jindalsteel.com

W www.jindalsteelpower.comFollow us on Facebook | Twitter | Youtube

DISCLAIMER

The information contained in this electronic communication is intended solely for the individual(s) or entity to which it is addressed. It may contain proprietary, confidential and/or legally privileged information. Any review, retransmission, dissemination, printing, copying or other use of, or taking any action in reliance on the contents of this information by person(s) or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us by responding to this email or telephone and immediately and permanently delete all copies of this message and any attachments from your system(s). The contents of this message do not necessarily represent the views or policies of our company. Computer viruses can be transmitted via email. Our Group IT attempts to sweep e-mails and attachments for viruses, it does not guarantee that either are virus free. The recipient should check this email and any attachments for the presence of





Vijayanagar Works:

P.O. Vidyanagar, Toranagallu,
Dist. Bellary - 583 275, Karnataka. Ir
Phone : 08395 - 250 120 - 130
Fax : 08395 - 250 138/250 66

Website : www.jsw.i

Date: 03.11.2022

To Whomsoever it may concern

This is to certify that the conveyor belts supplied by M/s Eureka Conveyor Beltings Private Limited against our PO no. VJNR/P00091/CAP/C/4700078516 dated 24.8.19 were installed in March-2020 have performed satisfactorily for period of more than 12 months.

Authorized Signatory

B Shivdas

(Associate Vice President-RMHS - Projects)



FLSmidth Private Limited

Plot No.- 7, Secter 8, HSIIDC, Phase-3, Bawal, Distt. Rewari, Haryana-123501, INDIA

Tel: +91-1284-277501/502

Email: indiainfo@flsmidth.com website: www.flsmidth.com

Income Tax Permanent Account Number: AAACF4997N

CIN: U26941TN2000PTC044765



Date: 05.12.2022

To Whomsoever It May Concern

This is to certify that M/s Eureka Conveyor Beltings Pvt. Ltd. has supplied belts with length of 7971 mtrs vide our Purchase order no 67423 dated 14.02.2020 for our project at M/s Nuvoco Cement in our conveying system and we are satisfied with the workmanship, quality and performance of the same.

We wish good luck and success to M/s M/s Eureka Conveyor Beltings Pvt. Ltd.

For FLSmidth Private Limited,

(Authorized Signatory)



Administrative Block, Hardoi Road, Post- Rausar Kothi, Tehsil- Sadar, District- Shahjahanpur, Uttar Pradesh PIN - 242 406

Tele: +91 05842 306600 Fax: +91 05842 300003 www.reliancepower.co.in

Date: 02.02.2021


To Whom So Ever It May Concern

With reference to our Purchase Order No. NBO/M09/33019831 dated 16.01.2018, Specification: Conveyor Belt 1400mm, 1250/4, 5/2, FR Grade, Quantity 1000 meters supplied by M/s Eureka Conveyor Beltings Private Limited, Kota, Rajasthan was installed in year 2018 and the performance was found satisfactory.

The supplied belt has given a life of more than 12 months.

Authorized Signatory

For Rosa Power Supply Company Limited





Eureka Conveyor Beltings Pvt. Ltd. <eureka.kota@gmail.com>

Fwd: Fw: [EXTERNAL] Performance Certificate Dalmia

1 message

Eureka Conveyor Beltings Pvt. Ltd. <eureka.kota@gmail.com> To: "Eureka Conveyor Beltings Pvt. Ltd." <eureka.kota@gmail.com> Mon, Feb 27, 2023 at 5:22 PM

From: Pranab Kumar Nayak < Nayak. Pranab@dalmiacement.com >

Sent: Mon, 7 Feb 2022 17:56:24 GMT+0530

To: "a.chawla@eurekabeltings.com" <a.chawla@eurekabeltings.com>

Subject: Re: [EXTERNAL] Performance Certificate Dalmia

It has been informed you that we are getting good life of 9 months of clinker belt.

Regards,

Pranab Kumar Nayak

AGM- Mechanical

Mobile: +91 9437965235 | Landline: 06624-678323 DDSP Unit-1 Rajgangpur, Dist-Sundargarh, Odisha-770017



Dalmia Bharat Limited has the lowest carbon footprint in the cement sector globally. (Source: GNR Data of Cement Sustainability Initiative member companies)

Ranked No. 1 by CDP on Business Readiness for a Low Carbon Transition.

From: a.chawla@eurekabeltings.com <a.chawla@eurekabeltings.com>

Sent: 04 February 2022 16:59

To: Pranab Kumar Nayak < Nayak. Pranab@dalmiacement.com >

Subject: [EXTERNAL] Performance Certificate Dalmia

CAUTION: This email originated from outside the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Sir.

Greetings,

This is in Reference to our telephonic discussion held today, kindly provide the performance report of UHR grade belt supplied by us at your O.C.L. DALMIA UNIT RAJGAMPUR (ODHISA.) unit against,

- 1) PO no. 4350009659/152 dated 9.2.2021 (Conveyor Belt 1200mm 750 meters)
- 2) PO no. 4350010322/152 dated 10.3.2021 (Conveyor belt 1200mm 550 meters)

Expecting your kind consideration.

rediffmail

Mailbox of a.chawla@eurekabeltings.com

Subject: Appreciation letter

From: Manish Rathore <manish.rathore@nuvoco.com> on Tue, 26 Oct 2021 14:33:47

To: puneet@eurekabeltings.com

Cc: a.chawla@eurekabeltings.com

Date: 26/10/2021

APPRECIATION LETTER

To. M/S Eureka Conveyor Beltings Pvt. Ltd. F-51-52 CHAMBAL INDUSTRIAL AREA KOTA RAJASTHAN 324003 08-RAJASTHAN INDIA Ph no.:022-22084417

Kind Attn: Mr Puneet Khubehandani

Sub: Appreciation for UHR grade belt

This is to certify that the UHR grade conveyor belt supplied by M/s Eureka Conveyor Beltings Private Limited against our PO no. 3101000696 dated 19.4.19 has performed satisfactorily at our plant for a period of more than 14 months. We are very much satisfied with the performance of the belt.

Thanks & regards Manish Kumar Rathore Sr. Manager (Mech.) Nuvoco Vistas Corporation Limited Chittor Cement Plant



Disclaimer:

This email and any files transmitted with it are confidential and intended only for the use of the person to whom it is addressed. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. Please notify the sender immediately by email if you have received this email by mistake and delete this email from your system. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the company. Finally, the recipient should check this email and any files for the presence of viruses. The company accepts no liability for any damage caused by any virus transmitted by this email.

M/s Eureka Supplied Belts Status

Union Cement Company UCC - Fujairah

 P.No.
 UCC/2020/PO-125

 P.O Date
 9/11/2020

1- HR Grade Rubber beltings

S.No.	Item Description	Length (Meters)	Received Date	Application	Installed Date	Installed Length (Meters)	Observations	Remarks
1	UHR- belt Width 1200 mm, EP-300, 4 Ply, Temp range 280 Deg Normal, 300 Deg peak	600	300	Not yet used	Nil	Nil	Nil	Planned to be replaced in upcoming shutdown. (after optimum utilization of this existing belt)
2	UHR- belt Width 1200 mm, EP-200, 4 Ply, Temp range 280 Deg Normal, 300 Deg peak	300		2907 (Clinker transport belt)	23-11-2021	155	Belt condition is satisfactory	
3	SHR- belt Width 1200 mm, EP-200, 4 Ply, Temp range 100 Deg Normal, 120 Deg peak	300	14-03-2021	3516	25-01-2022	100	Belt condition is satisfactory	
4	UHR- belt Width 1200 mm, EP-200, 4 Ply, Temp range 100 Deg Normal, 120 Deg peak	300		2894 (Clinker Extraction belt)	06-01-2022	150	Belt condition is satisfactory	

2- M24 Grade Rubber beltings

S.No.	Item Description	Length (Meters)	Received Date	Application	Installed Date	Installed Length (Meters)	Observations	Remarks
1 1	Belt M24 grade Width 1400 mm, EP-250, 6 Ply,	500	14-03-2021		25-03-2021	75	Belt condition is satisfactory	
2	Belt M24 grade Width 1000 mm, EP-200, 4 Ply,	600		1922 (Raw Mill feeding belt)	31-03-2021	300	Belt condition is satisfactory	
				1403 (Shale Transport belt)	19-08-2021	100	Belt condition is satisfactory	
. ≺	Belt M24 grade Width 1000 mm, EP-250, 5 Ply,	600		1107 (Limstone Transport belt)	18-06-2021	200	Belt condition is satisfactory	
				1109 (Limstone Transport belt)	14-04-2021	200	Belt condition is satisfactory	

Revised as on 28-02-2022

Mailbox of a chawla@eurekabeltings.com

Subject: Re: Performance Feed Back

From: Sanjay Swami <swamisk@shreecement.com> on Fri, 13 Aug 2021 11:14:36

To: <a.chawla@eurekabeltings.com>

Cc: "S S Tomar" < TomarSS@shreecement.com>

Sir,

We have installed this belt on dated 26 Jan-21. Performance of given belt is ok, belt is running sa sfactory. Il today.

Regards,

Sanjay Swami

From: a.chawla@eurekabel ngs.com [mailto:a.chawla@eurekabel ngs.com]

Sent: Tuesday, August 10, 2021 12:33 PM

To: <u>swamisk@shreecement.com</u> Subject: Performance Feed Back

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Sir.

Greetings From Team Eureka.

This is in Reference to your P.O. no. 686423 dated 17/10/2020

We have supplied UHR Grade Conveyor Belt vide our Invoice no. 645 dated 15/01/2021, In view of establish ourselves as your potential vendor, we request your goodself to kindly provide us the Performance Feed back of the same.

Appreciate your concern on the above request.

Thanking you in Anticipation.

Amit Chawla Sr.Manager (Sales & Business Development)

M: +91-6350-659311

email: a.chawla@eurekabeltings.com

Eureka Conveyor Beltings Pvt Ltd

rediffmail

Mailbox of a.chawla@eurekabeltings.com

Subject: Re: Performance certificate of UHR grade belt required

To: Amit Chawla <a.chawla@eurekabeltings.com>

Dear Mr Amit.

With reference to below mail, we have installed 680 mtr UHR Belt Before 5 months and running satisfactory till now.

Regards



PRAHLAD PATIDAR

ASSISTANT MANAGER (Mechanical)



1A, 1B Kherwas Industrial Area, Badnawar - 454660, Madhya Pradesh, India



8003899624



8003899624

From: a.chawla@eurekabeltings.com <a.chawla@eurekabeltings.com> on behalf of Amit Chawla <a.chawla@eurekabeltings.com>

Sent: 13 March 2021 14:37

Subject: Performance certificate of UHR grade belt required

CAUTION: This email has come from outside of RK Group Companies. DO NOT OPEN Attachments or CLICK ON ANY LINK unless you are sure that the email contents are safe. Please report suspicious email to IT Support immediately.

Dear Sir.

Greetings,

This is in Reference to our telephonic discussion held today, kindly provide the performance report of UHR grade belt supplied at your Badnawar (M.P.) unit against P.O. no. WCL/PUR/20-21/BGU/CB/1332 Dated 05-06-2020.

Expecting your kind consideration.

Assuring you, our best product & services always.

Thanks & Regards

Amit Chawla Sr.Manager (Sales & Business Development) M: +91-6350-659311 email: a.chawla@eurekabeltings.com

Eureka Conveyor Beltings Pvt Ltd





SDCCL/PUR/VEN/EVA/2018/1002030

Date: 14/02/2018

To,
EUREKA CONVEYOR BELTINGS PVT LTD
F-51-52, CHAMBAL INDUSTRIAL AREA,
KOTA- 324003
Email ID:info@eurekabeltings.com, Mobile No.0744 2480025

Dear Sir.

Sub: Supplier Performance Evaluation / Re - Evaluation

We would like to inform you that, as as part of our anual excercise, we have evaluated your performance for the supply of varios materials against our purchase order during the period from 01.01.2017 to 31.12.2017

The criteria for performance has been considered as under. As per evaluation report, you rating is observed as "EXCELLENT" considering as below point.

Description	Deliver Performance	Payment Performance		Total Rating	
Target - Point	100	100	100	300	
Actual - Point	93	100	100	293	

We would request you to take keen care to

i). Avoid delay in supply, ii). Ensure quality as per our specification and iii). Offer atleast 45days credit. So that rating can be improved. We wish to convey our thanks and request you to keep up the improve performance in future as well.

We are looking forward to your long term business association with us. Thanking you,

Your Faithfully,


For SHREE DIGVIJAY CEMENT CO. LTD.

DR. GIRISH MEHTA (Functional Head - SCM)

Phone: +91 288 234 4272-75 Fax: +91 288 234 4092

SHREE DIGVIJAY CEMENT CO. LTD.

CIN L26940G11944PLCC00749 Regd. Office Post Digvijavgram 361 140 Jamnager | Gujarat | INDIA









E-mail Fax

(07459) 232262, 320997, 9351468076 molmorak@kappa.net.in 07459 - 232156 www.mangalamcament.com





Date: - 07.01.2014

TO WHOMSOEVER IT MAY CONCERN

This is to certify that M/s Eureka Conveyor Beltings Pvt. Ltd. Kota has supplied following material to our plant which were used at various locations.

- 1. They have supplied SHR grade conveyor belt, 759 meters against our PO MCLNPG/776 dated 19.06.2012. These belts were installed for clinker transportation at locations 712BC1, 712BC3 and 712BC5. We have achieved a life of 10 months, 07 months and 09 (+continued) months respectively.
- 2. They have also supplied M24 grade belt 506 meters against PO MCL/VPG 1048 dated 09.07,2012 and used at locations 232BC6 & 232BC7. After more than a year in operation, condition of the belts is excellent.

We are satisfied with the performance of the product and appreciate their services as and when required.

S.D. Mishra

V.P. (Mech.)

Kota Office : "Mangalam" 93, Dashera Scheme, P.O. Dadabari, KOTA - 324 009 (Rajasthan)

Tel. No.: 0744 - 2500266, 3098600, Fax: 0744 - 2500178, E-mail: mclkta@kappa.net.in

Delhi Office: UCO Bank Building (4" Floor), 5, Parliament Street, New Delhi - 110 001

Tel. No.: 011-23730854, 30680258, 30680259, Fax: 011-23730856

E-mail: mangalam@del3.vsnl.net.in, delhi.marketing@mangalamcement.com


Jaipur Office: 30, Shrirampura Colony, Surájnagar (East), Civil Lines, Jaipur-302 006 (Rajasthan)

Tel.: 0141 - 2221271, 3203349, Fax No.: 0141 - 2220863, E-mail: mcljpr@sancharnet.in



J. K. White Cement Works

CIN:L17229UP1994PLC017199
Website:www.jkcement.com
1SO 9001, ISO 14001, OHSAS 18001 & SA 8000 Certified



Email: gotan@jkcement.com



GTN/WH/COMM/ISO-16

21st May 2014

1100772 EUREKA CONVEYOR BELTINGS PVT. LTD. F-51-52,, CHAMBAL INDUSTRIAL AREA, KOTA, - 324003 - Rajasthan

Sub: Vendor Rating

Dear Sir,

In our process of performance appraisal of our valued approved vendors, we have conducted the performance appraisal of our vendors based on their performance in last two & half years (from 1.10.2011 to 31.03.2014). The appraisal is based on various factors like timely supplies, rejections, quality of response, quality of material, after sale service, packing, documentation, user's feedback, QMS & EHSMS, SA etc.

We are pleased to inform you that you have achieved grade "A" with "89%" rating in the appraisal process. Being our valued vendor, we expect your cooperation in future to improve it further to strengthen our business relations.

Thanking You,

Yours Faithfully For JK White Cement Works,

(Anil Badgotri) A.V. P. (Comm.)



Registered Office Kamla Tower Kanpur (U.P.)-208001 Ph: 0512-2371478-81

Fax: 0512-2399854 Email: admin@jkcement.com Delhi Office

Padam Tower, 19, DDA Community Centre Okhla, Phase-I, New Delhi-110020 Ph.: EPBAX-011-49220000

Fax: 011-49220044

Email: jkwc.delhi@jkcement.com

Jodhpur Office

70, Sector-7 Extn. Indra Vihar Street New Power House Road, Jodhpur Ph: 0291-2432021, 2433072

Fax: 0291-2433071

Email: jodhpur.office@jkcement.com



PRODUCERS OF HIGH QUALITY WHITE CEMENT & WALL PUTTY